

ProTalk TK-3601D DIGITAL

License Free dPMR446/PMR446 Digital/FM Portable Radio

The new compact, lightweight, high-performance, professional license-free radio

from **KENWOOD**.





STYLISH, COMPACT AND LIGHT WEIGHT – NEW PROTALK DIGITAL PMR446

Featuring an ergonomic design with clear display and easily accessible controls in a new compact and lightweight form, ProTalk TK-3601D brings new levels of style and functionality to professional users.

The TK-3601D implements ECC Decision (15)05 to offer 16 channels in 12.5 kHz analogue and 32 channels in 6.25 kHz digital mode and is fully compatible with the TK-3401D. In addition, users can easily select a zone by pressing the PF key for congestion-free use even in crowded shopping malls and city centres.



Model	Туре	Freq/RF PWR	Number of Chs	MP	Launch	Package
TK-3601D	E	446.0–446.2 MHz ERP 500mW	48chs (16chs x 3zones) Preset 32 frequencies (Digital) 16 frequencies (Analogue)	Jun. 2018	Jul. 2018	All-in-one package

New Product Release Information TK-3601D - ProTalk DIGITAL

PRODUCT HIGHLIGHTS [N] News for KENWOOD

- No license required
- All-in-one package
- ECC Decision (15)05 compatible doubled channel capacity; [Analogue] 16 channels 32 channels [digital]
 - > Fully compatible with TK-3401D
- Easy-visible White backlight LCD:
- ≻ 8-seg. x 6-digit, 1 line

GENERAL FEATURES

- Size: 50 x 94 x 27 mm [Projections not included]
- Weight: 160 g [w/Li Batt]
- Front: 3 keys (Menu/Up/Down)
- Side: PTT + 1 PF key
- 1-pin Audio connector
- Compatible with ProTalk FD
- 7-color Large LED indicator
- Dust & Water Protection: IP54/55/67
- Mixed SCAN
- Voice Announcement
- VOX/Semi-VOX operation
- [N] Super Lock Mode: Allows designated keys to be operable while on the key locked mode
- [N] Auto Button Lock: Automatically locks the keys at preset intervals.
- [N] PTT hold: Holds PTT button on TX mode for hands-free operation, by pressing PTT twice consecutively
- [N] Selectable Power ON LED: Distinguishes radio is on
- [N] Selectable Power ON Tone: Identifies by beep tone to tell without looking (via PC programming software)
- [N] Incorrect Signaling Notification: Notifies when the signaling unmatched

DIGITAL


- Employs AMBE+2 Vocoder for superior sound quality
- Digital Encryption
- External Microphone Sense
- Microphone Type
- RX Audio Response
 - (Low Cut, Auto Gain Control, Audio qualizer)
- TX Audio Response
 - > (Noise Suppressor, Auto Gain Control, Audio Equalizer)

ANALOGUE - FM MODE

- QT/DQT
- Voice Inversion Scrambler
- Compander
- Beat Shift

OTHERS

- Second PTT
 - (PF; Digital/Analogue zone select etc)
- Battery Saver
- Battery Indicator
- Speaker Attenuation
- Busy Channel Lockout
- BCL Override
- Home Channel
- SCAN
- All Reset Mode
- Factory Reset Mode,
- Maximum Volume/Minimum Volume
- PTT Proceed Tone
- PTT Release Tone
- Transmit Tone Level
- Signal strength meter
- Microphone Sense
- Earphone Mode
- Detection of Half-insertion



Company Manager Carter An

Dust & Water Protection

IP54/55/67



ProTalk DIGITAL

7-color Large LED indicator



Easy to use



Applicable Accessories

[N]: New

NEW OP ACCESSORIES

	MODEL	NOTE
[N]	KSC-50CR(B)	CHARGER POCKET (30 pcs/pack)
[N]	KNB-81L	LI-ION BATTERYPACK (3.6V/2200mAh)
[N]	KBH-22	BELT CLIP HOLSTER
[N]	KMC-55	SPEAKER MICROPHONE
[N]	KPG-197D	PROGRAMMING SOFTWARE
[N]	KPG-186U	PROGRAMMING CABLE
[N]	KHS-7A-SD	SINGLE MUFF HEADSET
[N]	KHS-10-OH-	SD HEAVY DUTY HEADSET

MODEL	NOTE
KSC-44SL	AC ADAPTER (SINGLE)
KSC-44ML	AC ADAPTER (MULTIPLE)
KBH-14	BELT CLIP
KBH-21	BELTCLIP (LONG)
EMC-13	CLIPMIC. WITH EARPHONE
EMC-14	CLIPMIC. WITH EARPHONE
KHS-37	HEADSET

> Audio Accessories



EMC-13 [W] CLIP MICROPHONE WITH EARPHONE (STD)



KMC-55 [W] SPEAKER MICROPHONE (IP54/55/67, PF Key, 2.5 D EP Jack)



EMC-14 [W] CLIP MICROPHONE WITH EARPHONE (EAR-HANGING)



KHS-7A-SD SINGLE MUFF HEADSET



KHS-37 [W] HEADSET (EAR-HOOK)



KHS-10-OH-SD HEAVY DUTY HEADSET

New Product Release Information TK-3601D - ProTalk DIGITAL

> Energy Accessories



KSC-50CR B [W] CHARGER POCKET



KSC-44SL [E] AC ADAPTER (EU Plug) (SINGLE)



KSC-44SL [T] AC ADAPTER (UK Plug) (SINGLE)



KNB-81L [W] Li-ion BATTERY PACK (3.6 V/2200 mAh)

KSC-44ML [M] AC ADAPTER (EU Plug) (for Multiple Connected Charger up to 6 units) [AC plug may vary depend on the region]





> Others





KBH-21 [W] BELT CLIP (50mm)



KBH-14 [M] BELT CLIP (Short)



USB PROGRAMMING INTERFACE CABLE (1-pin)

